

WaterLink SpinTouch DW

Every now and then a technology emerges that changes people's lives. For people who test water, that time is now.

Available Tests

See back page for details

Free Chlorine
Total Chlorine
Combined Chlorine
pH
Total Hardness
Total Alkalinity
Total Iron
Ferric Iron
Ferrous Iron
Copper
Nitrate
Nitrite

The innovative WaterLink® Spin Touch® DW photometer does all your drinking water testing for you. Each sealed reagent SpinDisk® contains the precise amount of reagent needed to run a complete series of tests. Just fill one unique SpinDisk® with less than 3 mL of water and all your vital tests are done automatically—in just 1 to 2 minutes!

It's the most advanced system for precise use of wet chemistry methods ever produced. Now analysts can achieve precision without time consuming test and clean-up procedures. This ground-breaking analysis system is so simple anyone can use it! No vials to fill, no prep time, no quessing!



So Simple! So Fast! So Precise!

Proven analytical chemistry creates the breakthrough WaterLink® Spin Touch®



The Device Precise analysis of up to 9 parameters in 2 minutes or less!









Optional Bluetooth Printer (Code 5-0067)

Reliable Results

- Virtually Eliminates User-Error
- Pre-Measured Reagents
- Exact Reaction Times and Auto-Blanking
- Meter Calibration Check System
- New 6-Wavelength Photometer

Super Fast & Simple

- 1 Minute for Treated Water Disk and2 Minutes for Well Water Disk
- Fill Disk and Insert > Select "Start Test" > Read Results

Data Logging

Stores Test Dates, Times, Results, Location

Stand-Alone

- No Computer, Smartphone, or Tablet Needed
- Touchscreen Operation
- Communicate through Bluetooth® or USB

Rugged and Portable

- Innovative Water-Resistant Housing
- Internal, Rechargeable Batteries

Bluetooth® is a registered trademark of Bluetooth® SIG, Inc.

	Instrument Type:	Photometer
	6 Wavelengths:	390 nm, 428 nm, 470 nm, 525 nm, 568 nm, 635 nm
	Display:	Color Capacitive Touchscreen, 3.5", 320 X 240 pixel resolution
	Batteries:	Lithium Ion, Rechargeable (Full Charge in 10 hours), 150 tests per charge
	Communication:	Bluetooth, USB-C
	Calibration:	Factory Set, Field Calibration via Internet Connection
	Data Storage:	Last 250 Test Results with Date, Time, Location
	Water Resistance:	Rubber Over-molded Base, Rubber USB Port Plug, Gasketed Display and Hinge
	Size & Weight:	8.5 L x 4.9 W x 4.1 H inches, 1.74 lb; 2.6 L x 12.7 W x 11.4 H cm, 0.79 kg
	Operation:	Single On/Off/Reset Button with Indicator Light, Touchscreen

Internet updateable (New Test,

New Test Calibrations, etc.),

requires USB connection to

Optional Bluetooth Printer

at 8 dots/mm resolution

(Code 5-0067); 384 dots per line

Windows® PC

The Complete Lab

WaterLink® Spin Touch® DW

Code 3585

Includes: Photometer, Instruction Manual, Quick-Start
Instructions, 3 Syringes, Meter Check Disk, Disk Cover, Sample
Bottle, USB Cord with USB Wall Adapter, Carrying Case.
[Disks sold separately]



Firmware:

Printer:

Certification:



for Water Conditioning & Filtration



Treated Water			
Series DW13			
Code 4336-H	50 pack		
Free Chlorine	0-15 ppm		
Total Chlorine	0-15 ppm		
Combined Chlorine	0-15 ppm		
pН	6.4-10.0 pH		
Total Hardness	0-70 gpg, 0-1200 ppm		
Total Iron	0-6 ppm		
Copper	0-6 ppm		
Total Alkalinity	0-250 ppm		

Well Water			
Series DW21			
Code 4337-H	50 pack		
рН	4.5-8.6 pH		
Total Hardness	0-70 gpg, 0-1200 ppm		
Total Iron	0-6 ppm		
Ferric Iron	0-6 ppm		
Ferrous Iron	0-6 ppm		
Copper	0-6 ppm		
Nitrate (NO ₃)	0-45 ppm		
Nitrite (NO ₂)	0-2 ppm		
Total Alkalinity	0-250 ppm		

Our disks are manufactured right in our plant, assuring the highest quality control standards.

The Optional Software



This versatile and robust cloud-based water analysis solution stores all your records, boasts customizable treatment profiles and reports, and can be accessed from an internet connected computer or supported mobile device via the app. Create a free account at softwarecenter.lamotte.com.



Control and collect results from your meter to store locally on your computer.

Every test result is retained by date/time and can even be noted as to the location from which the result was taken. Download it for free at softwarecenter.lamotte.com





802 Washington Ave | Chestertown, Maryland 21620 USA Tel: 800.344.3100 or +1 410.778.3100 info@lamotte.com | waterlinkspintouch.com | lamotte.com